

## Author Index

- Abraham, W.C., see Demmer, J. (17) 279  
 Akeson, R., see Reyes, A.A. (17) 201  
 Aldskogius, H., see Ernfors, P. (17) 217  
 Allen, J.M., see Le Van Thai, A. (17) 227  
 Almazan, G., see Figueiredo, B.C. (17) 258  
 Alonso, G., see Rage, F. (17) 287  
 Anders, M.W., see Patel, N.J. (17) 53  
 Asai, T., Wanaka, A., Kato, H., Masana, Y., Seo, M. and Tohyama, M.  
 Differential expression of two members of FGF receptor gene family, FGFR-1 and FGFR-2 mRNA, in the adult rat central nervous system (17) 174  
 Aulakh, C.S., see Lesch, K.P. (17) 31
- Bain, G., Ramkumar, T.P., Cheng, J.M. and Gottlieb, D.I.  
 Expression of the genes coding for glutamic acid decarboxylase in pluripotent cell lines (17) 23  
 Baker, H., see Weiser, M. (17) 319  
 Barraclough, C.A., see Liaw, J.-J. (17) 112  
 Bergmann, B.M., see Landis, C.A. (17) 300  
 Berry, R.W., see Redman, R.S. (17) 245  
 Bloem, L.J., Chen, Y., Liu, J., Bye, L.S. and Yu, L.  
 Analysis of the promoter sequence and the transcription initiation site of the mouse 5-HT<sub>1C</sub> serotonin receptor gene (17) 194  
 Brachet, P., see Smith, C.J. (17) 328  
 Bravo, R., see Herdegen, T. (17) 147  
 Bruce, J., Schwartz, M.L., Shneidman, P.S. and Schlaepfer, W.W.  
 Methylation and expression of neurofilament genes in tissues and in cell lines of the mouse (17) 269  
 Bye, L.S., see Bloem, L.J. (17) 194
- Carlson, S.G., see Mesco, E.R. (17) 160  
 Carrillo, A.J., see Signs, S.A. (17) 36  
 Chandrasekaran, K., see Fukuyama, R. (17) 17  
 Chen, Y., see Bloem, L.J. (17) 194  
 Cheng, J.M., see Bain, G. (17) 23  
 Collins, B.J., see Landis, C.A. (17) 300  
 Connelly, C.S., see Marchand, J.E. (17) 83  
 Coste, E., see Le Van Thai, A. (17) 227  
 Cribbs, L.L., see Landis, C.A. (17) 300  
 Cuello, A.C., see Figueiredo, B.C. (17) 258
- Danoff, S.K., see Schell, M.J. (17) 212  
 Demmer, J., Dragunow, M., Lawlor, P.A., Mason, S.E., Leah, J.D., Abraham, W.C. and Tate, W.P.  
 Differential expression of immediate early genes after hippocampal long-term potentiation in awake rats (17) 279  
 De Vellis, J., see Kumar, S. (17) 163  
 Dluzen, D.E., see Signs, S.A. (17) 36  
 Dragunow, M., see Demmer, J. (17) 279
- Ernfors, P., Rosario, C.M., Merlio, J.-P., Grant, G., Aldskogius, H. and Persson, H.  
 Expression of mRNAs for neurotrophin receptors in the dorsal root ganglion and spinal cord during development and following peripheral or central axotomy (17) 217
- Fiallos-Estrada, C.E., see Herdegen, T. (17) 147  
 Figueiredo, B.C., Almazan, G., Ma, Y., Tetzlaff, W., Miller, F.D. and Cuello, A.C.  
 Gene expression in the developing cerebellum during perinatal hypo- and hyperthyroidism (17) 258  
 Fine, R.E., see Johnson, R.J. (17) 9  
 Firkusny, I.R., see Jensen, F.E. (17) 185  
 Freeman, R.S., see Smith, C.J. (17) 328  
 Frey, P., see Solà, C. (17) 41  
 Fujita, K., see Morita, S. (17) 239  
 Fukuyama, R., Chandrasekaran, K. and Rapoport, S.I.  
 Nerve growth factor-induced neuronal differentiation is accompanied by differential induction and localization of the amyloid precursor protein (APP) in PC12 cells and variant PC12S cells (17) 17  
 Fullone, J.S., see Patel, N.J. (17) 53  
 Furuyama, T., Morita, Y., Inagaki, S. and Takagi, H.  
 Distribution of I, II and III subtypes of voltage-sensitive Na<sup>+</sup> channel mRNA in the rat brain (17) 169
- Gall, C.M., see Lauterborn, J.C. (17) 59  
 Gall, C.M., see Meberg, P.J. (17) 295  
 García-Ladona, F.J., see Rocamora, N. (17) 1  
 García-Ladona, F.J., see Solà, C. (17) 41  
 Ghetti, B., see Solà, C. (17) 340  
 Gluckman, P.D., see Klempt, M. (17) 347  
 Gottlieb, D.I., see Bain, G. (17) 23  
 Grainger, R.M., see Saha, M.S. (17) 307  
 Grant, G., see Ernfors, P. (17) 217
- Han, E., see Joseph, R. (17) 70  
 Hart, R.P., see Riley, L.A. (17) 251  
 Herdegen, T., Fiallos-Estrada, C.E., Bravo, R. and Zimmermann, M.  
 Colocalisation and covariation of c-JUN transcription factor with galanin in primary afferent neurons and with CGRP in spinal motoneurons following transection of rat sciatic nerve (17) 147  
 Hicks, K.J., see Koistinaho, J. (17) 179  
 Hidaka, H., see Morita, S. (17) 239  
 Hill, J.L., see Lesch, K.P. (17) 31
- Ichimura, T., see Watanabe, M. (17) 135  
 Igarashi, K., see Shintani, A. (17) 129  
 Inagaki, S., see Furuyama, T. (17) 169
- Isackson, P.J., see Lauterborn, J.C. (17) 59  
 Isobe, T., see Watanabe, M. (17) 135
- Jensen, F.E., Firkusny, I.R. and Mower, G.D.  
 Differences in *c-fos* immunoreactivity due to age and mode of seizure induction (17) 185  
 Joh, T.H., see Weiser, M. (17) 319  
 Johnson, R.J., Pyun, H.Y., Lytton, J. and Fine, R.E.  
 Differences in the subcellular localization of calreticulin and organellar Ca<sup>2+</sup>-ATPase in neurons (17) 9  
 Johnson Jr., E.M., see Smith, C.J. (17) 328  
 Jonakait, G.M., see Riley, L.A. (17) 251  
 Joseph, J.A., see Mesco, E.R. (17) 160  
 Joseph, R., Li, W. and Han, E.  
 Neuronal death, cytoplasmic calcium and internucleosomal DNA fragmentation: evidence for DNA fragments being released from cells (17) 70  
 Joy, A.M., Siegel, H.N. and Lukas, R.J.  
 Photoaffinity labeling of muscle-type nicotinic acetylcholine receptors and neuronal/nicotinic  $\alpha$ -bungarotoxin binding sites with a derivative of  $\alpha$ -bungarotoxin (17) 95
- Kaisho, Y., see Shintani, A. (17) 129  
 Kato, H., see Asai, T. (17) 174  
 Kimura, N., Kurosawa, N., Kondo, K. and Tsukada, Y.  
 Molecular cloning of the kainate-binding protein and calmodulin genes which are induced by an imprinting stimulus in ducklings (17) 351  
 Kiyama, H., see Shida, T. (17) 335  
 Klempt, M., Klempt, N.D. and Gluckman, P.D.  
 Hypoxia and hypoxia/ischemia affect the expression of insulin-like growth factor binding protein 2 in the developing rat brain (17) 347  
 Klempt, N.D., see Klempt, M. (17) 347  
 Kobayashi, K., see Morita, S. (17) 239  
 Koistinaho, J., Hicks, K.J. and Sagar, S.M.  
 Tetrodotoxin enhances light-induced *c-fos* gene expression in the rabbit retina (17) 179  
 Kondo, E., see Shida, T. (17) 335  
 Kondo, H., see Watanabe, M. (17) 135  
 Kondo, K., see Kimura, N. (17) 351  
 Kream, R.M., see Marchand, J.E. (17) 83  
 Krey, L.C., see Weesner, G.D. (17) 77  
 Kumar, S., Peña, L.A. and De Vellis, J.  
 CNS glial cells express neurotrophin receptors whose levels are regulated by NGF (17) 163  
 Kurosawa, N., see Kimura, N. (17) 351  
 Kuwano, R., see Watanabe, M. (17) 135
- Landis, C.A., Collins, B.J., Cribbs, L.L., Sukhatme, V.P., Bergmann, B.M., Rechtschaffen, A. and Smalheiser, N.R.

- Expression of Egr-1 in the brain of sleep deprived rats (17) 300
- Lauterborn, J.C., Isackson, P.J., Montalvo, R. and Gall, C.M.  
In situ hybridization localization of choline acetyltransferase mRNA in adult rat brain and spinal cord (17) 59
- Lawlor, P.A., see Demmer, J. (17) 279
- Leah, J.D., see Demmer, J. (17) 279
- Lesch, K.P., Aulakh, C.S., Wlozin, B.L., Tolliver, T.J., Hill, J.L. and Murphy, D.L.  
Regional brain expression of serotonin transporter mRNA and its regulation by reuptake inhibiting antidepressants (17) 31
- Le Van Thai, A., Coste, E., Allen, J.M., Palmiter, R.D. and Weber, M.J.  
Identification of a neuron-specific promoter of human aromatic L-amino acid decarboxylase gene (17) 227
- Li, W., see Joseph, R. (17) 70
- Liaw, J.-J. and Barraclough, C.A.  
N-Methyl-D,L-aspartic acid differentially affects LH release and LHRH mRNA levels in estrogen-treated ovariectomized control and androgen-sterilized rats (17) 112
- Liu, J., see Bloem, L.J. (17) 194
- Lukas, R.J., see Joy, A.M. (17) 95
- Lytton, J., see Johnson, R.J. (17) 9
- Ma, Y., see Figueiredo, B.C. (17) 258
- Marchand, J.E., Zaccheo, T.S., Connelly, C.S. and Kream, R.M.  
Selective in situ hybridization histochemical analyses of alternatively spliced mRNAs encoding  $\beta$ - and  $\gamma$ -preprotachykinins in rat central nervous system (17) 83
- Masana, Y., see Asai, T. (17) 174
- Mason, S.E., see Demmer, J. (17) 279
- Meberg, P.J., Gall, C.M. and Routtenberg, A.  
Induction of F1/GAP-43 gene: expression in hippocampal granule cells after seizures (17) 295
- Mengod, G., see Rocamora, N. (17) 1
- Mengod, G., see Solà, C. (17) 41
- Mengod, G., see Solà, C. (17) 340
- Merlio, J.-P., see Ernfors, P. (17) 217
- Mesco, E.R., Carlson, S.G., Joseph, J.A. and Roth, G.S.  
Decreased striatal D<sub>2</sub> dopamine receptor mRNA synthesis during aging (17) 160
- Miller, F.D., see Figueiredo, B.C. (17) 258
- Mizuguchi, T., see Morita, S. (17) 239
- Montalvo, R., see Lauterborn, J.C. (17) 59
- Mori, N., Tajima, Y., Sakaguchi, H., Vandenbergh, D.J., Nawa, H. and Salvaterra, P.M.  
Partial cloning of the rat choline acetyltransferase gene and in situ localization of its transcripts in the cell body of cholinergic neurons in the brain stem and spinal cord (17) 101
- Morita, S., Kobayashi, K., Mizuguchi, T., Yamada, K., Nagatsu, I., Titani, K., Fujita, K., Hidaka, H. and Nagatsu, T.  
The 5'-flanking region of the human dopamine  $\beta$ -hydroxylase gene promotes neuron subtype-specific gene expression in the central nervous system of transgenic mice (17) 239
- Morita, Y., see Furuyama, T. (17) 169
- Mower, G.D., see Jensen, F.E. (17) 185
- Murphy, D.L., see Lesch, K.P. (17) 31
- Nagatsu, I., see Morita, S. (17) 239
- Nagatsu, T., see Morita, S. (17) 239
- Nakamura, H., see Tsuneishi, S. (17) 119
- Nawa, H., see Mori, N. (17) 101
- Neveu, I., see Smith, C.J. (17) 328
- Ohno, K., see Shida, T. (17) 335
- Ono, Y., see Shintani, A. (17) 129
- Osborne, P., see Smith, C.J. (17) 328
- Palacios, J.M., see Rocamora, N. (17) 1
- Palacios, J.M., see Solà, C. (17) 41
- Palacios, J.M., see Solà, C. (17) 340
- Palmiter, R.D., see Le Van Thai, A. (17) 227
- Patel, N.J., Fullone, J.S. and Anders, M.W.  
Brain uptake of S-(1,2-dichlorovinyl)glutathione and S-(1,2-dichlorovinyl)-L-cysteine, the glutathione and cysteine S-conjugates of the neurotoxin dichloroacetylene (17) 53
- Peña, L.A., see Kumar, S. (17) 163
- Persson, H., see Ernfors, P. (17) 217
- Pfaff, D.W., see Weesner, G.D. (17) 77
- Probst, A., see Solà, C. (17) 41
- Pyun, H.Y., see Johnson, R.J. (17) 9
- Rage, F., Alonso, G. and Tapia-Arancibia, L.  
Stimulatory effect of N-methyl-D-aspartate on somatostatin gene expression in cultured hypothalamic neurons (17) 287
- Ramkumar, T.P., see Bain, G. (17) 23
- Rapoport, S.I., see Fukuyama, R. (17) 17
- Rechtschaffen, A., see Landis, C.A. (17) 300
- Redman, R.S. and Berry, R.W.  
Temperature-dependent stimulation and inhibition of adenylate cyclase by *Aplysia* bag cell peptides (17) 245
- Reyes, A.A., Schulte, S.V., Small, S. and Akeson, R.  
Distinct NCAM splicing events are differentially regulated during rat brain development (17) 201
- Riley, L.A., Jonakait, G.M. and Hart, R.P.  
Serotonin modulates the levels of mRNAs coding for thyrotropin-releasing hormone and preprotachykinin by different mechanisms in medullary raphe neurons (17) 251
- Rocamora, N., García-Ladona, F.J., Palacios, J.M. and Mengod, G.  
Differential expression of brain-derived neurotrophic factor, neurotrophin-3, and low-affinity nerve growth factor receptor during the postnatal development of the rat cerebellar system (17) 1
- Rosario, C.M., see Ernfors, P. (17) 217
- Ross, C.A., see Schell, M.J. (17) 212
- Roth, G.S., see Mesco, E.R. (17) 160
- Routtenberg, A., see Meberg, P.J. (17) 295
- Sagar, S.M., see Koistinaho, J. (17) 179
- Saha, M.S. and Grainger, R.M.  
Early opsin expression in *Xenopus* embryos precedes photoreceptor differentiation (17) 307
- Saika, T., see Shida, T. (17) 335
- Sakaguchi, H., see Mori, N. (17) 101
- Salvaterra, P.M., see Mori, N. (17) 101
- Sano, K., see Tsuneishi, S. (17) 119
- Sasada, R., see Shintani, A. (17) 129
- Schell, M.J., Danoff, S.K. and Ross, C.A.  
Inositol (1,4,5)-trisphosphate receptor: characterization of neuron-specific alternative splicing in rat brain and peripheral tissues (17) 212
- Schlaepfer, W.W., see Bruce, J. (17) 269
- Schulte, S.V., see Reyes, A.A. (17) 201
- Schwartz, M.L., see Bruce, J. (17) 269
- Seo, M., see Asai, T. (17) 174
- Shida, T., Tokunaga, A., Kondo, E., Ueda, Y., Ohno, K., Saika, T., Kiyama, H. and Tohyama, M.  
Expression of muscarinic and nicotinic receptor mRNA in the salivary gland of rats: a study by in situ hybridization histochemistry (17) 335
- Shintani, A., Ono, Y., Kaisho, Y., Sasada, R. and Igarashi, K.  
Identification of the functional regulatory region of the neurotrophin-3 gene promoter (17) 129
- Shneidman, P.S., see Bruce, J. (17) 269
- Siegel, H.N., see Joy, A.M. (17) 95
- Signs, S.A., Dluzen, D.E. and Carrillo, A.J.  
Para-chlorophenylalanine treatment inhibits the expression of vasoactive intestinal peptide messenger RNA in rat anterior pituitary (17) 36
- Smalheiser, N.R., see Landis, C.A. (17) 300
- Small, S., see Reyes, A.A. (17) 201
- Smith, C.J., Johnson Jr., E.M., Osborne, P., Freeman, R.S., Neveu, I. and Brachet, P.  
NGF deprivation and neuronal degeneration trigger altered  $\beta$ -amyloid precursor protein gene expression in the rat superior cervical ganglia in vivo and in vitro (17) 328
- Solà, C., García-Ladona, F.J., Mengod, G., Probst, A., Frey, P. and Palacios, J.M.  
Increased levels of the Kunitz protease inhibitor-containing  $\beta$ APP mRNAs in rat brain following neurotoxic damage (17) 41
- Solà, C., Mengod, G., Ghetti, B., Palacios, J.M. and Triarhou, L.C.  
Regional distribution of the alternatively spliced isoforms of  $\beta$ APP RNA transcript in the brain of normal, heterozygous and homozygous weaver mutant mice as revealed by in situ hybridization histochemistry (17) 340
- Sukhatme, V.P., see Landis, C.A. (17) 300
- Tajima, Y., see Mori, N. (17) 101
- Takagi, H., see Furuyama, T. (17) 169



- Takahashi, Y., see Watanabe, M. (17) 135  
 Takemura, M., see Walther, D. (17) 155  
 Tapia-Arancibia, L., see Rage, F. (17) 287  
 Tate, W.P., see Demmer, J. (17) 279  
 Tetzlaff, W., see Figueiredo, B.C. (17) 258  
 Titani, K., see Morita, S. (17) 239  
 Tohyama, M., see Asai, T. (17) 174  
 Tohyama, M., see Shida, T. (17) 335  
 Tokunaga, A., see Shida, T. (17) 335  
 Tolliver, T.J., see Lesch, K.P. (17) 31  
 Triarhou, L.C., see Solà, C. (17) 340  
 Tsukada, Y., see Kimura, N. (17) 351  
 Tsuneishi, S., Sano, K. and Nakamura, H.  
 Serum depletion increases the neurofilament protein mRNA levels in a neuroblastoma cell line, GOTO (17) 119
- Ueda, Y., see Shida, T. (17) 335  
 Uhl, G., see Walther, D. (17) 155
- Vandenbergh, D.J., see Mori, N. (17) 101
- Walther, D., Takemura, M. and Uhl, G.  
 Fos family member changes in nucleus caudalis neurons after primary afferent stimulation: enhancement of *fos* B and *c-fos* (17) 155
- Wanaka, A., see Asai, T. (17) 174  
 Watanabe, M., Isobe, T., Ichimura, T., Kuwano, R., Takahashi, Y. and Kondo, H.  
 Molecular cloning of rat cDNAs for  $\beta$  and  $\gamma$  subtypes of 14-3-3 protein and developmental changes in expression of their mRNAs in the nervous system (17) 135
- Weber, M.J., see Le Van Thai, A. (17) 227  
 Weesner, G.D., Krey, L.C. and Pfaff, D.W.  
 $\alpha_1$  Adrenergic regulation of estrogen-induced increases in luteinizing hormone-releasing hormone mRNA levels and release (17) 77
- Weiser, M., Baker, H., Wessel, T.C. and Joh, T.H.  
 Axotomy-induced differential gene induction in neurons of the locus ceruleus and substantia nigra (17) 319
- Wessel, T.C., see Weiser, M. (17) 319  
 Wolozin, B.L., see Lesch, K.P. (17) 31
- Yamada, K., see Morita, S. (17) 239  
 Yu, L., see Bloem, L.J. (17) 194
- Zaccheo, T.S., see Marchand, J.E. (17) 83  
 Zimmermann, M., see Herdegen, T. (17) 147

(contents continued)

Regional distribution of the alternatively spliced isoforms of $\beta$ APP RNA transcript in the brain of normal, heterozygous and homozygous weaver mutant mice as revealed by in situ hybridization histochemistry	
C. Solà, G. Mengod, B. Ghetti, J.M. Palacios and L.C. Triarhou (Switzerland, Spain, USA)	340
Hypoxia and hypoxia/ischemia affect the expression of insulin-like growth factor binding protein 2 in the developing rat brain	
M. Klempt, N.D. Klempt and P.D. Gluckman (New Zealand)	347
Molecular cloning of the kainate-binding protein and calmodulin genes which are induced by an imprinting stimulus in ducklings	
N. Kimura, N. Kurosawa, K. Kondo and Y. Tsukada (Japan)	351
Author Index	356

